

TRIMO D.O.O.

PRIJATELJEVA CESTA 12  
8210 TREBNJE | SLOVENIA  
T: +386 (0)7 34 60 200  
F: +386 (0)7 34 60 127  
TRIMO@TRIMO-GROUP.COM  
WWW.TRIMO-GROUP.COM

Date: 08.07.2022

## Subject: VOCs statement: Comparison with limit value of BREEAM International

To whom it may concern:

We hereby declare that Trimo d.o.o. has performed analysis and measurements of emissions of volatile organic compounds (VOC) for the products **Qbiss One and Trimoterm**. All tests have been carried out in an accredited test laboratory according to EN 16516 and ISO 16000-6.

Trimo declares that all measurements and compounds content for **Qbiss One and Trimoterm** products with typical internal steel sheet have been found to be below the minimum levels required for building materials for indoor use, according to basic level for BREEAM International New Construction v2.0 (2016).

Parameter	Value after 28 days
Formaldehyde	$\leq 0,06 \text{ mg/m}^3$
TVOC (EN 16516)	$\leq 0,3 \text{ mg/m}^3$
TSVOC	$\leq 0,1 \text{ mg/m}^3$
Total carcinogens	$\leq 0,001 \text{ mg/m}^3$

Should you require any further clarifications or information do not hesitate to contact us.

Robert Ajdič  
Head of Quality department

**TRIMO**  
TRIMO D.O.O.  
PRIJATELJEVA CESTA 12  
8210 TREBNJE

2